

## **EZ KLING™**

# Configuration Guide

©2016 ELATION PROFESSIONAL all rights reserved. Information, specifications, diagrams, images, and instructions herein are subject to change without notice. ELATION PROFESSIONAL logo and identifying product names and numbers herein are trademarks of ELATION PROFESSIONAL. Copyright protection claimed includes all forms and matters of copyrightable materials and information now allowed by statutory or judicial law or hereinafter granted. Product names used in this document may be trademarks or registered trademarks of their respective companies and are hereby acknowledged. All non-ELATION brands and product names are trademarks or registered trademarks of their respective companies.

**ELATION PROFESSIONAL** and all affiliated companies hereby disclaim any and all liabilities for property, equipment, building, and electrical damages, injuries to any persons, and direct or indirect economic loss associated with the use or reliance of any information contained within this document, and/or as a result of the improper, unsafe, insufficient and negligent assembly, installation, rigging, and operation of this product.

Elation Professional USA | 6122 S. Eastern Ave. | Los Angeles, CA. 90040 323-582-3322 | 323-832-9142 fax | www.elationlighting.com | info@elationlighting.com

**Elation Professional B.V**. | Junostraat 2 | 6468 EW Kerkrade, The Netherlands +31 45 546 85 66 | +31 45 546 85 96 fax | www.elationlighting.eu | info@elationlighting.eu


#### DOCUMENT VERSION




Please check www.elationlighting.com for the latest revision/update of this manual.

Date	Document Version	Notes
7/19/16	2	Updated for software version 2.3.

### 1. DMX Controller + EZ KLING + LED Tape



#### 2. PC Control + EZ KLING + LED Tape





(Not included - illustration purposes only)

Additional RGB Tri-Color LED Lighting... 8888 **CAT5e OUT** Klingnet = 170 Pixels Max ArtNet = 170 Pixels Max sACN = 170 Pixels Max Additional RGBA/RGBW Quad Color LED Lighting... PC with KlingNet / ArtNet / sACN (Not included - illustration purposes only) Klingnet = 128 Pixels Max ArtNet = 128 Pixels Max 8888 sACN = 128 Pixels Max **Additional EZ KLING Units. CAT5e OUT** 0000 **Max 32 Units Directly Linked LED LIGHTING**