

ARTISTE VAN GOGH™



Fresnel Lens Installed

FEATURES

High Output Bright White LED Engine with excellent color rendition CMY and CTO color mixing

7 Position Color Wheel

Interchangeable PC and Fresnel Lens options included for even washes and powerful illumination

Internal indexable barn door system for beam shaping and light control at any angle

Seamless Frost Filter

Silent and Cool Operation

The **Artiste Van Gogh™** is a compact powerful framing Wash fixture with outstanding light quality. It is an ideal partner to the Profile fixtures in Elation's Artiste fixture range. Providing up to 16,000 total lumens from its efficient 380W 6,500K LED engine allows the fixture to be utilized in many applications. Due to its high 91 color rendering index and its whisper quiet operation it is ideally suited for Television, Theater and Corporate Events, or any application where powerful and even coverage is desired. Illuminating objects and people with precise color reproduction is the perfect application for the Artiste Van Gogh. A 16bit CMY color system with a seamless CTO filter offers the designer a wide color range from subtle pastels to vibrant primaries. A seven position color wheel is provided for additional effects and includes a dedicated UV filter. An integrated 4 blade barn door system allows for precise light control and beam shaping. The entire barn door assembly is indexable allowing the Van Gogh's beam shaping system to be usable at any angle. With its wide zoom range and included interchangeable PC or Fresnel lens options, the Van Gogh is flexible for any distance and desired fields from concentrated light beams to wide and smooth washes. The additional frost filter can be added at any time for an extra layer of output smoothing. The Artiste Van Gogh™ fixture ships in a cardboard box with a custom fitted polyurethane foam FIL (Foam In Lay) insert. This foam insert easily fits into a custom sized flight case (not included), and provides enhanced impact protection during transport.



PC Lens Installed

Specifications are subject to change without notice ©Elation Professional 11/10/2022

Elation Professional USA | 6122 S. Eastern Ave. | Los Angeles, CA. 90040
323-582-3322 | 323-832-9142 fax | www.elationlighting.com | info@elationlighting.com

Elation Professional B.V. | Junostraat 2 | 6468 EW Kerkrade, The Netherlands
+31 45 546 85 66 | +31 45 546 85 96 fax | www.elationlighting.eu | info@elationlighting.eu

PRODUCT SPECIFICATIONS

SOURCE

380W High CRI LED Engine
20,000 Hour Average LED Life*

*Test lab conditions. May vary depending on several factors including but not limited to: Environmental Conditions, Power/Voltage, Usage Patterns (On-Off Cycling), Control, Dimming, and Lamp Mode.

PHOTOMETRIC DATA

16,000 Total Output Lumen
CRI 91

Fresnel Lens

Zoom Range 11° - 66°
Beam Angle 7.5° - 45.2°
Field Angle 16.5° - 68.2°

PC Lens

Zoom Range 7° - 55°
Beam Angle 5.6° - 43.2°
Field Angle 7.1° - 58°

EFFECTS

Motorized Zoom
CMY + CTO Color Mixing
7 Position Fixed Color Wheel including UV
4 Independent Barn Doors
Barn Door Index Adjustment
Frost Filter
Remote Focus Adjustment
Electronic Strobe and Variable Dimming Curves
16-bit Dimming

CONTROL / CONNECTIONS

2 DMX Channel Modes (22 / 36 Channels)
DMX Adjustable Refresh Rate (900 -25000 Hz)
(6) Button Touch Panel
Full Color 180° Reversible LCD Menu Display
DMX, RDM, Art-Net, sACN Protocol Support
Locking 5pin XLR DMX, RJ45 Ethernet, and Power
USB Connection (Firmware Updates)
With Wired Digital Communication Network
Pan Angle: 540°/630°
Tilt Angle: 260°

SIZE / WEIGHT

Length: 15.73 in (399.6mm)
Width: 17.61 in (447.3mm) (Fresnel Lens)
Height: 26.34 in (669.mm)
Weight: 62.8 lbs. (28.5kg)

ELECTRICAL

AC 100-240V 50/60Hz
600W Max Power Consumption
BTU/hr (+/- 10%) 2046

APPROVALS / RATINGS

CE | cETLus | IP20

COLORS

COLOR FLAGS



COLOR WHEEL




PC AND FRESNEL LENS OPTIONS (included)



FOAM INLAY DIMENSIONAL DRAWINGS

The **Artiste Van Gogh™** fixture ships with a custom fitted polyurethane foam FIL (Foam In Lay) packaging insert, which easily fits into a custom sized flight case (not included), and provides enhanced impact protection during transport.



All dimensions in (mm) ©ELATION PROFESSIONAL all rights reserved.
Information contained within this drawing is proprietary and confidential.
Any reproduction and/or distribution of any part of this drawing without the written consent by Elation Professional is strictly prohibited. Diagrams and/or measurements herein subject to change without notice.

ORDERING INFORMATION

EAV259	Artiste Van Gogh
--------	------------------


Specifications are subject to change without notice ©Elation Professional 11/10/20



Elation Professional USA | 6122 S. Eastern Ave. | Los Angeles, CA. 90040
323-582-3322 | 323-832-9142 fax | www.elationlighting.com | info@elationlighting.com

Elation Professional B.V. | Junostraat 2 | 6468 EW Kerkrade, The Netherlands
+31 45 546 85 66 | +31 45 546 85 96 fax | www.elationlighting.eu | info@elationlighting.eu

DIMENSIONAL DRAWING (PC LENS INSTALLED)



DIMENSIONAL DRAWING (FRESNEL LENS INSTALLED)

