



PROTEUS BEAM &
PROTEUS BEAM WMG

user manual

©2023 ELATION PROFESSIONAL all rights reserved. Information, specifications, diagrams, images, and instructions herein are subject to change without notice. ELATION PROFESSIONAL logo and identifying product names and numbers herein are trademarks of ELATION PROFESSIONAL. Copyright protection claimed includes all forms and matters of copyrightable materials and information now allowed by statutory or judicial law or hereinafter granted. Product names used in this document may be trademarks or registered trademarks of their respective companies and are hereby acknowledged. All non-ELATION brands and product names are trademarks or registered trademarks of their respective companies.

ELATION PROFESSIONAL and all affiliated companies hereby disclaim all liabilities for property, equipment, building, and electrical damages, injuries to any persons, and direct or indirect economic loss associated with the use or reliance of any information contained within this document, and/or because of the improper, unsafe, insufficient, and negligent assembly, installation, rigging, and operation of this product.

Elation Professional USA | 6122 S. Eastern Ave. | Los Angeles, CA. 90040

323-582-3322 | 323-832-9142 fax | www.elationlighting.com | info@elationlighting.com

Elation Professional B.V. | Junostraat 2 | 6468 EW Kerkrade, The Netherlands

+31 45 546 85 66 | +31 45 546 85 96 fax | www.elationlighting.eu | info@elationlighting.eu

Elation Professional Mexico | AV Santa Ana 30 | Parque Industrial Lerma, Lerma, Mexico 52000

+52 (728) 282-7070 ventas@adj.com

DOCUMENT VERSION

Due to additional product features and/or enhancements, an updated version of this document may be available online.

Please check <u>www.elationlighting.com</u> for the latest revision/update of this manual, before beginning installation and/or programming.

Date	Document Version	Software Version ≥	DMX Channel Modes	Notes	
04/28/17	1	1.3.1	17 / 19 / 28	Initial release.	
07/19/17	2	1.4.0	19 / 21 / 30	Updated System Menu and DMX Traits.	
08/19/17	2.2	N/C	N/C	Updated error codes, rigging illustration.	
11/28/17	2.3	N/C	N/C	Added ETL control number.	
10/10/18	2.4	1.41	N/C	Updated System Menu, added Rotating GOBO Specifications and POTENTIAL INTERNAL FIXTURE DAMAGE FROM EXTERNAL SOURCES OF LIGHT BEAMS sections.	
11/25/18	2.6	N/C	N/C	Added LAMP and GOBO replacement instructions.	
3/10/21	2.8	N/C	N/C	Updated Sun Protection, FCC, and primary/secondary modes	
3/24/21	3.0	N/C	N/C	Updated General Information and Maintenance, Added Proteus Beam WMG to cover title	
5/20/21	3.2	N/C	N/C	Updated Maintenance.	
8/23/22	3.4	N/C	N/C	Updated Lamp Installation	
02/16/23	2.8	N/C	N/C	Updated Specifications	

CONTENTS

General Information	4
Limited Warranty (USA Only)	5
IP65 Notice	6
Safety Guidelines	7
Discharge Lamp Warning	9
Overview	10
Lamp Installation	11
Gobo Installation	18
Rotating Gobo Specifications	25
Custom Gobo Design Guidelines	26
Installation	28
System Menu	33
E-FLY Wireless DMX Set Up	42
DMX Traits: Channel Functions And Values	43
Error Codes	53
Maintenance	57
Specifications	58
Optional Accessories	61

GENERAL INFORMATION

INTRODUCTION

Please read and understand the instructions in this manual carefully and thoroughly before attempting to operate this device. These instructions contain important safety and use information. This device is intended for use by professionally trained personnel only, and is not suitable for private use.

NOTE: THIS FIXTURE IS INTENDED FOR TEMPORARY OUTDOOR USE ONLY!

UNPACKING

Every device has been thoroughly tested and has been shipped in perfect operating condition. Carefully check the shipping carton for damage that may have occurred during shipping. If the carton is damaged, carefully inspect the device for damage, and be sure all accessories necessary to install and operate the device have arrived intact. In the event damage has been found or parts are missing, please contact our customer support team for further instructions. Please do not return this device to your dealer without first contacting customer support. Please do not discard the shipping carton in the trash. Please recycle whenever possible.

BOX CONTENTS

Omega Brackets (x2) IP65 Rated 5pin DMX Cable IP65 Rated RJ45 Cable (Fixture to Fixture Interconnect Use Only!) IP65 Power Cable

CUSTOMER SUPPORT

Contact **ELATION Service** for any product related service and support needs. Also visit <u>forums.elationlighting.com</u> with questions, comments, or suggestions.

ELATION SERVICE USA - Monday - Friday 8:00am to 4:30pm PST 323-582-3322 | Fax 323-832-9142 | support@elationlighting.com

ELATION SERVICE EUROPE - Monday - Friday 08:30 to 17:00 CET +31 45 546 85 63 | Fax +31 45 546 85 96 | <u>support@elationlighting.eu</u>

REPLACEMENT PARTS please visit <u>parts.elationlighting.com</u>

LIMITED WARRANTY (USA ONLY)

- A. Elation Professional hereby warrants, to the original purchaser, Elation Professional products to be free of manufacturing defects in material and workmanship for a period of two years (730 days), and Elation Professional product rechargeable batteries to be free of manufacturing defects in material and workmanship for a period of six months (180 days), from the original date of purchase. This warranty excludes discharge lamps and all product accessories. This warranty shall be valid only if the product is purchased within the United States of America, including possessions and territories. It is the owner's responsibility to establish the date and place of purchase by acceptable evidence, at the time service is sought.
- B. For warranty service, send the product only to the Elation Professional factory. All shipping charges must be pre-paid. If the requested repairs or service (including parts replacement) are within the terms of this warranty, Elation Professional will pay return shipping charges only to a designated point within the United States. If any product is sent, it must be shipped in its original package and packaging material. No accessories should be shipped with the product. If any accessories are shipped with the product, Elation Professional shall have no liability what-so-ever for loss and/or or damage to any such accessories, nor for the safe return thereof.
- C. This warranty is void if the product serial number and/or labels are altered or removed; if the product is modified in any manner which Elation Professional concludes, after inspection, affects the reliability of the product; if the product has been repaired or serviced by anyone other than the Elation Professional factory unless prior written authorization was issued to purchaser by Elation Professional; if the product is damaged because not properly maintained as set forth in the product instructions, guidelines and/or user manual.
- D. This is not a service contract, and this warranty does not include any maintenance, cleaning or periodic check-up. During the periods as specified above, Elation Professional will replace defective parts at its expense, and will absorb all expenses for warranty service and repair labor by reason of defects in material or workmanship. The sole responsibility of Elation Professional under this warranty shall be limited to the repair of the product, or replacement thereof, including parts, at the sole discretion of Elation Professional. All products covered by this warranty were manufactured after January 1, 1990, and bare identifying marks to that effect.
- E. Elation Professional reserves the right to make changes in design and/or performance improvements upon its products without any obligation to include these changes in any products theretofore manufactured.
- F. No warranty, whether expressed or implied, is given or made with respect to any accessory supplied with the products described above. Except to the extent prohibited by applicable law, all implied warranties made by Elation Professional in connection with this product, including warranties of merchantability or fitness, are limited in duration to the warranty periods set forth above. And no warranties, whether expressed or implied, including warranties of merchantability or fitness, shall apply to this product after said periods have expired. The consumer's and/or dealer's sole remedy shall be such repair or replacement as is expressly provided above; and under no circumstances shall Elation Professional be liable for any loss and/or damage, direct and/or consequential, arising out of the use of, and/or the inability to use, this product.
- G. This warranty is the only written warranty applicable to Elation Professional products and supersedes all prior warranties and written descriptions of warranty terms and conditions heretofore published.

WARRANTY RETURNS

All returned service items whether under warranty or not, must be freight pre-paid and accompany a return authorization (R.A.) number. The R.A. number must be clearly written on the outside of the return package. A brief description of the problem as well as the R.A. number must also be written down on a piece of paper and included in the shipping container. If the unit is under warranty, you must provide a copy of your proof of purchase invoice. Items returned without a R.A. number clearly marked on the outside of the package will be refused and returned at customer's expense. You may obtain a R.A. number by contacting customer support.

IP65 RATED

The International Protection (IP) rating system is commonly expressed as "IP" (Ingress Protection) followed by two numbers (i.e. IP65), where the numbers define the degree of protection. The first digit (Foreign Bodies Protection) indicates the extent of protection against particles entering the fixture, and the second digit (Water Protection) indicates the extent of protection against water entering the fixture. An IP65 rated lighting fixture is designed and tested to protect against the ingress of dust (6), and low-pressure water jets from any direction (5).

NOTE: THIS FIXTURE IS INTENDED FOR TEMPORARY OUTDOOR USE ONLY!

Maritime/Coastal Environment Installations: A coastal environment is seaside adjacent, and caustic to electronics through exposure to atomized salt-water and humidity, whereas maritime is anywhere within 5-miles of a coastal environment.



NOT suitable for maritime/coastal environment installations. Installing this fixture in a maritime/coastal environment may cause corrosion and/or excessive wear to the interior and/or exterior components of the fixture. Damages and/or performance issues resulting from installation in a maritime/coastal environment will void the manufactures warranty, and will NOT be subject to any warranty claims and/or repairs.

Maritime installations require additional preparation, and additional service intervals may be needed given the maritime use. In general, IP ratings presuppose freshwater conditions VS maritime conditions, which are typically more "caustic" to IP fixtures (both internally and externally). A duty-cycle may also be needed when units are not in use. During times of high humidity and colder temperatures, condensation may occur internally so the fixture may require a duty-cycle to bring it up to running temperature, allowing any accumulation of moisture to be expelled via the vent valve. Recommendations can change based on installation environmental circumstances. A waterproof dome or similar device is recommended for use in permanent outdoor installations. When using a dome, refer to manufacturer recommendations for duty-cycle.

NOTE: NOT ALL FEATURES LISTED ARE AVAILABLE ON ALL FIXTURES; THE FOLLOWING INSTRUCTIONS MAY NOT APPLY. CONTACT SUPPORT FOR ADDITIONAL DETAILS.

Exterior Maintenance: Inspect the exterior every 30-days. The unit must be powered off/disconnected. Inspect optics to determine if the lens is obstructed, then clean optics and chassis accordingly. Based on initial finding, schedule maintenance accordingly, keeping in mind that exterior maintenance will be required. Even if the luminaires are NOT in use, maintenance will still be needed given its location (exterior use). The use of a durable type of wax on the chassis is recommended since it will help prevent contaminant build up. Inspect both power and data lines for any signs of contaminants or corrosion. Periodically reapplying di-electric grease, especially in coastal environments. If any signs of corrosion/contaminants are present, clean thoroughly, and/or replace connectors, then reapply di-electric grease. Typically, this should be done annually, or any time an opportunity presents itself. As a preventive measure, annual replacement of both vent valves is recommended. The vent valve membrane can become contaminated and/or clogged causing improper venting of humidity within the luminaire. Inspect all mounting hardware as a precaution.

Interior Maintenance: Inspect the interior every 30-days. The unit must be powered off/disconnected.

Inspect zoom/focus mechanism, clean optics, lubricate linear bearings (Krytox oil) as needed, inspect belts for wear Inspect all rotating effect wheels, manually rotate them, note any resistance

Inspect all remaining rotating belts for any wear

Inspect all fans, clean as needed, check rotation, check connections

Inspect CMY module, manually move flags and check for signs of resistance, and if needed, clean guide rods first, then reapply a thin layer of grease (moly lube)

Clean interior with low-volume compressed air, then clean optics prior to reassembly of head covers

Although the base has limited moving parts, the pan belt should also be inspected for wear. Remember to always perform an IP test anytime a cover is removed.

There is no specific time frame regarding the routine replacement of parts such as belts/stepper motors, PCBs, or LEDs. These items should only be replaced on an as needed bases, except for cooling fans, which should be replaced once the luminaries reach 10,000-hours. This is a prophylactic measure intended to keep the unit running as cool as possible, insuring proper function of all internal components. A complete service breakdown is available, please contact service@adi.com for any needed parts or manuals.

SAFETY GUIDELINES

This fixture is a sophisticated piece of electronic equipment. To guarantee a smooth operation, it is important to follow all instructions and guidelines in this manual. Elation Professional is not responsible for injury and/or damages resulting from the misuse of this fixture due to the disregard of the information printed in this manual. Only qualified and/or certified personnel should perform installation of this fixture and only the original rigging parts (omega brackets) included with this fixture should be used for installation. Any modifications to the fixture and/or the included mounting hardware will void the original manufactures warranty and increase the risk of damage and/or personal injury.



PROTECTION CLASS 1 - FIXTURE MUST BE PROPERLY GROUNDED



THERE ARE NO USER SERVICEABLE PARTS INSIDE THIS UNIT.

DO NOT ATTEMPT ANY REPAIRS YOURSELF; DOING SO WILL VOID YOUR MANUFACTURES WARRANTY. DAMAGES RESULTING FROM MODIFICATIONS TO THIS FIXTURE AND/OR THE DISREGARD OF SAFETY INSTRUCTIONS AND GUIDELINES IN THIS MANUAL VOID THE MANUFACTURES WARRANTY AND ARE NOT SUBJECT TO ANY WARRANTY CLAIMS AND/OR REPAIRS.



DO NOT PLUG FIXTURE INTO A DIMMER PACK!
NEVER OPEN THIS FIXTURE WHILE IN USE!
UNPLUG POWER BEFORE SERVICING FIXTURE!
NEVER TOUCH FIXTURE DURING OPERATION, AS IT MAY BE HOT!
KEEP FLAMMABLE MATERIALS AWAY FROM FIXTURE!



ENSURE ALL CONNECTIONS AND END CAPS ARE PROPERLY SEALED WITH A DIELECTRIC GREASE (AVAILABLE AT MOST ELECTRICAL SUPPLIERS) TO PREVENT WATER CORROSION AND/OR ELECTRICAL SHORT CIRCUIT.



IF THE FIXTURE IS EXPOSED TO ENVIRONMENTAL TEMPERATURE CHANGES SUCH AS RELOCATION FROM AN OUTDOOR COLD TO AN INDOOR WARM ENVIRONMENT, DO NOT POWER THE FIXTURE ON IMMEDIATELY. INTERNAL CONDENSATION AS A RESULT OF ENVIRONMENTAL TEMPERATURE CHANGE CAN CAUSE INTERNAL FIXTURE DAMAGE. LEAVE THE FIXTURE POWERED OFF UNTIL IT HAS REACHED ROOM TEMPERATURE BEFORE POWERING ON.



NEVER LOOK DIRECTLY INTO THE LIGHT SOURCE!
RETINA INJURY RISK - MAY INDUCE BLINDNESS!
SENSITIVE PERSONS MAY SUFFER AN EPILEPTIC SHOCK!

SAFETY GUIDELINES

DO NOT TOUCH the fixture housing during operation. Turn OFF the power and allow approximately 60 minutes for the fixture to cool down before serving.

DO NOT shake fixture, avoid brute force when installing and/or operating fixture.

DO NOT operate fixture if the power cord has become frayed, crimped, damaged and/or if any of the power cord connectors are damaged and do not insert into the fixture securely with ease.

NEVER force a power cord connector into the fixture. If the power cord or any of its connectors are damaged, replace it immediately with a new one of similar power rating.

DO NOT block any air ventilation slots, these must remain clean and never blocked.

Allow approx. 6" (15cm) between fixture and other devices or a wall for proper cooling.

When installing fixture in a suspended environment, always use mounting hardware that is no less than M10 x 25 mm, and always attach an appropriately rated safety cable.


ALWAYS disconnect fixture from main power source before performing any type of service and/or cleaning procedure. Only handle the power cord by the plug end, never pull out the plug by tugging the wire portion of the cord.

During the initial operation of this fixture, a light smoke or smell may emit from the interior of the fixture. This is a normal process and is caused by excess paint in the interior of the casing burning off from the heat associated with the lamp and will decrease gradually over time.

Consistent operational breaks will ensure fixture will function properly for many years.

ONLY use the original packaging and materials to transport the fixture in for service.

DISCHARGE LAMP WARNING



This fixture is fitted with a DISCHARGE LAMP, which is highly susceptible to damage if improperly handled. NEVER touch the lamp with your bare hands, as the oil from your hands will shorten the life of the lamp. Also, NEVER move the fixture until the lamp has had ample time to cool. Lamps are NOT covered under warranty conditions. Avoid switching the fixture ON and OFF repeatedly in short intervals, as this will reduce lamp life and intensity. To achieve the intensity associated with discharge lamps, these lamps use gas sealed in a high-pressure environment to emit a brilliant output.


Due to the high pressure involved with the construction of the lamp, the lamp MAY EXPLODE DURING PROLONGED EXTENSIVE USE. This risk is increased with age; added care is encouraged when dealing with older lamps. Thus, the lamp must always be replaced at the end of their recommended duty cycle. Extreme caution should be used when operating this or any fixture fitted with a gas discharge lamp.

UV RADIATION NOTICE




This fixture emits intense UV radiation, which is harmful to the eyes and skin. The intense luminance of the lamp can cause severe damage to the retina. NEVER operate this fixture with ANY of the protective covers removed. These covers have been specially designed to shield against UV radiation.


LAMP REPLACEMENT Please note that due to the nature of the Philips™ Platinu



Use only Genuine Original Philips Platinum 14R Lamps. Other brand lamps may cause damage and void warranty!

OVERVIEW





- 1. Lens
- 2. E-FLY Wireless DMX Indicator LED
- 3. LCD Menu Control Display
- 4. MODE/ESC Button
- 5. LEFT Button
- 6. DOWN Button
- 7. ENTER Button
- 8. RIGHT Button
- 9. UP Button
- 10. Locking Power Connector
- 11. Fuse
- 12. RJ45 Ethernet IN
- 13. Gore Valve
- 14. RJ45 Ethernet OUT
- 15. 5pin DMX IN



LAMP REPLACEMENT

Please note that due to the nature of the Philips™ Platinum 14R Lamp and the optical path of the fixture, the lamp MUST BE replaced at 1,500 hours.

Use only Genuine Original Philips Platinum 14R Lamps. Other brand lamps may cause damage and void warranty!

INSTALLING OR REPLACING THE LAMP

To ensure a proper/safe lamp change, carefully read all the following instructions.

LAMP PROTECTION CIRCUITRY

Because of the nature of the extreme heat associated with the **Philips Platinum 14 R** lamp and the unique IP65 rated sealed optical system, it is **IMPERATIVE** that the lamp be replaced at **1,500 Hours** or sooner. This is done to protect the internal sealed optical system as well as prevent accidental lamp explosion, which could lead to hot glass particles falling from the fixture.

FAILURE TO CHANGE THE LAMP WITHIN 300 HOURS of the 1,500 HOUR RATED LIFE, WILL CAUSE THE FIXTURE TO AUTOMATICALLY SHUT DOWN!

At **1,500 Hours** the LCD control display will begin to flash, "**Replace The Lamp**" and the lamp will flicker for the first five minutes of operation. At this point the lamp has reached the maximum rated life and should be replaced immediately. After the lamp has flickered for about five minutes it should strike normally allowing the fixture to be used temporarily until a replacement lamp can be installed. The fixture will continue to operate for an additional 300 hours, however the "**Replace the Lamp**" warning will continue to flash in the display. Keep in mind that the flicker protection circuitry will only work for about 300 Hours (lamp clock life of 1,500-1,800 Hours).

After 1,800 Hours the fixture will no longer respond to DMX commands and immediately enter a hibernation mode that will electronically discontinue all fixture functionality with the exception of a few menu commands. The fixture will continue to enter hibernation mode until the lamp is replaced and the lamp clock has been reset. To replace the lamp follow the safety guidelines and procedures listed on the next page.



WARNING! LAMP REPLACEMENT SHOULD ONLY BE DONE BE A TRAINED TECHNICIAN.

1. Turn OFF power and allow approximately 60 minutes for the fixture to cool down.



2. Before removing rear cover, place the head in a right-angle horizontal position and engage both the **PAN and TILT** locks for added stability while replacing the lamp.



3. Remove (4x) 3mm hex-head screws to remove rear cover.



4. Unclip the rear cover safety cable.




5. Remove (4x) 3mm hex-head screws holding the center heatsink module.




6. Unclip the center heatsink module safety cable.










7. Gently remove the (2x) spade receptacle-terminals connected to the lamp.





8. Unclip the lamp retaining clip by disconnecting it from the bottom and top hooks.





9. Swing the lamp retaining clip out, then carefully remove the lamp.



WARNING! LAMP MAY BE HOT.

USE CAUTION WHEN TOUCHING LAMP WITH BARE HANDS.





10. Carefully install the new lamp then follow the removal instruction steps in reverse order.


NOTE: Brush away any debris using a nonabrasive brush before replacing the heatsink.

GASKET INSPECTION

CAREFULLY REMOVE ANY DEBRIS FOUND ON GASKET AND SCREW HOLES OF THE HEATSINK MODULE USING A NONABRASIVE BRUSH BEFORE INSTALLING!

CAREFULLY INSPECT GASKETS FOR SIGNS OF WEAR SUCH AS CRACKING OR HARDENING, DEFORMITIES, OR ALIGNMENT ISSUES BEFORE INSTALLING!

ITEMS ABOVE CAN IMPEDE THE IP65 INTEGRITY AND/OR CAUSE INTERNAL DAMAGE. CONTACT ELATION SERVICE REGARDING GASKET REPLACEMENT IF NEEDED.



TORQUE SETTINGS FOR SCREWS

HEATSINK MODULE AND REAR COVER SCREWS MUST BE TIGHTENED WITH A TORQUE WRENCH. (not included)



The (4x) hex-head screws holding the heatsink module MUST be tightened with a torque wrench. (not included) TORQUE SETTING = 11 lbf-in. (12.7kgf-cm) *

* Ibf-in = Pound Force Inches | kgf-cm = Kilogram Force Centimeters

 \triangle

CAUTION! DO NOT OVER TORQUE SCREWS AS THIS CAN CAUSE LEAKAGE ISSUES!

TO CONFIRM THE IP65 INTEGRITY AFTER A LAMP REPLACEMENT, TEST FIXTURE USING THE ELATION IP TESTER. CONTACT ELATION SERVICE FOR MORE DETAILS.




V

WARNING! GOBO REPLACEMENT SHOULD ONLY BE DONE BE A TRAINED TECHNICIAN.

1. Turn OFF power and allow approximately 60 minutes for the fixture to cool down.



2. Place head in an upright vertical position and engage both the **PAN and TILT** locks for added stability while replacing the gobo.



3. Remove (12x) 3mm hex-head screws (6x per panel) to remove both center panels.




4. Unclip the panel safety cable on one side of the head.




5. Unclip the panel safety cable on the opposite side of the head.

6. Cut the plastic cable-ties holding wires and disconnect connectors attached to the effect module.

6a




6b




6с




6d



6e



6f







7. Remove (2x) #2 Philips screws securing effect module. 8. Carefully remove effect module from fixture.



9. Place effect module on firm clean surface and locate GOBO to replace.





10. Carefully lift the GOBO Holder up and out from the GOBO wheel using small needle nose plyers.



CAUTION! DO NOT SCRATCH GOBO AND HOLDER WHEN REPLACING!








- 12. Carefully separate the GOBO disc from the GOBO Holder.
- 13. Carefully replace the GOBO and GOBO Holder following the instruction steps in reverse order. NOTE: Brush away any debris using a nonabrasive brush before installing the effect module.



CAREFULLY REMOVE ANY DEBRIS FOUND ON GASKET AND SCREW HOLES OF BOTH CENTER PANELS USING A NONABRASIVE BRUSH BEFORE INSTALLING!

CAREFULLY INSPECT GASKETS FOR SIGNS OF WEAR SUCH AS CRACKING OR HARDENING, DEFORMITIES, OR ALIGNMENT ISSUES BEFORE INSTALLING!

ITEMS ABOVE CAN IMPEDE THE IP65 INTEGRITY AND/OR CAUSE INTERNAL DAMAGE. CONTACT ELATION SERVICE REGARDING GASKET REPLACEMENT IF NEEDED.



TORQUE SETTINGS FOR SCREWS



PANEL SCREWS MUST BE TIGHTENED WITH A TORQUE WRENCH.



The (12x) hex-head screws holding the panels MUST be tightened with a torque wrench. (not included) TORQUE SETTING = 11 lbf-in (12.7kgf-cm) *

* lbf-in = Pound Force Inches | kgf-cm = Kilogram Force Centimeters

CAUTION! DO NOT OVER TORQUE SCREWS AS THIS CAN CAUSE LEAKAGE ISSUES! TO CONFIRM THE IP65 INTEGRITY AFTER A GOBO REPLACEMENT, TEST FIXTURE USING THE ELATION IP TESTER. CONTACT ELATION SERVICE FOR MORE DETAILS.




ROTATING GOBO SPECIFICATIONS

* * * IMPORTANT NOTICE REGARDING CUSTOM GOBOS * * *

Due to the extreme high temperature optical system, which can reach up to **968°F** (**520°C**), special **STAINLESS-STEEL** glass material and design requirements are required. Due to varying gobo manufacturing processes and tolerances, it is highly recommended to provide a gobo sample from the fixture to the custom gobo vendor for accurate sizing.

Extended testing of custom gobo designs is highly recommended prior to using.

PLEASE CONTACT ELATION CUSTOMER SUPPORT FOR FURTHER INFORMATION.



O.D. (Max. Outer Diameter)	ф13.8mm
I.D. (Max. Image Diameter)	ф6тт
Gobo Holder Diameter	ф14mm
Thickness	0.5mm
Material	STAINLESS STEEL


CUSTOM GOBO DESIGN GUIDELINES

* * * IMPORTANT NOTICE REGARDING CUSTOM GOBO DESIGNS* * *

Extremely Intricate / Solid Area custom gobo designs are **NOT RECOMMENDED** due to the extreme high temperature optical system which can reach up to **842°F (450°C)**.

Custom gobo designs as illustrated below can burn during extended use periods.

PLEASE CONTACT ELATION CUSTOMER SUPPORT FOR FURTHER INFORMATION.



INSTALLATION



FLAMMABLE MATERIAL WARNING

Keep fixture at least 5.0 feet (1.5m) away from any flammable materials, decorations, pyrotechnics, etc.



ELECTRICAL CONNECTIONS

A qualified electrician should be used for all electrical connections and/or installations.



MINIMUM DISTANCE TO OBJECTS/SURFACES MUST BE 33 FEET (10 METERS)



MAXIMUM TEMPERATURE OF EXTERNAL SURFACE 2 1 2 ° F (1 0 0 ° C)

DO NOT INSTALL THE FIXTURE IF YOU ARE NOT QUALIFIED TO DO SO!

Fixture MUST be installed following all local, national, and country commercial electrical and construction codes and regulations. Before rigging/mounting the fixture to any metal truss/structure or placing the fixture on any surface, a professional equipment installer MUST be consulted to determine if the metal truss/structure or surface is properly certified to safely hold the combined weight of the fixture, clamps, cables, and accessories.

Overhead fixture installation must always be secured with a secondary safety attachment; such as an appropriately rated safety cable that meets all local, national, and country codes and regulations.

Fixture ambient operating temperature range is -4° to 113°F. (-20° to 45°C)

Do not use this fixture outside this temperature range.

Fixture should be installed in areas outside walking paths, seating areas, or away from areas were unauthorized personnel might reach the fixture by hand.


NEVER stand directly below the fixture when rigging, removing or servicing.

Allow approximately 15 minutes for the fixture to cool down before serving.

INSTALLATION: TRUSS CLAMP

The fixture can be attached to a metal truss/structure using. When mounting this fixture to truss be sure to secure (2) appropriately rated clamps (not included) to the (2) Omega Brackets (included) Be sure to attach the Safety Cable (included) to the fixture using the safety cable rigging point integrated into the bottom of the fixture.

SAFETY CABLE RIGGING POINT






SAFETY CABLE

ALWAYS ATTACH A SAFETY CABLE
WHENEVER INSTALLING THIS DEVICE IN A
SUSPENDED ENVIRONMENT TO ENSURE THE
FIXTURE WILL NOT DROP IF THE CLAMP
FAILS.

INSTALLATION: OVERHEAD RIGGING

Overhead rigging requires extensive experience, including amongst others calculating working load limits, installation material being used, and periodic safety inspection of all installation material and the fixture. If you lack these qualifications, do not attempt the installation yourself. Improper installation can result in bodily injury.

Fixture is fully operational in the specific mounting positions illustrated below.



* SIDE MOUNTING MAINTAIN IP65 RATING INTEG

TO MAINTAIN IP65 RATING INTEGRITY, FIXTURE MUST BE INSTALLED WITH CABLES FACING DOWN TOWARDS THE GROUND AT ALL TIMES. WATER MUST EASILY RUN OFF AND NOT COLLECT AROUND CABLE CONNECTIONS.

*SAFETY CABLE

ALWAYS ATTACH A SAFETY CABLE WHENEVER INSTALLING THIS FIXTURE IN A SUSPENDED ENVIRONMENT TO ENSURE THE FIXTURE WILL NOT DROP IF THE CLAMP FAILS.


INSTALLATION: CONNECTIONS



ENSURE ALL CONNECTIONS AND END CAPS ARE PROPERLY SEALED WITH A DIELECTRIC GREASE (AVAILABLE AT MOST ELECTRICAL SUPPLIERS) TO PREVENT WATER CORROSION AND/OR ELECTRICAL SHORT CIRCUIT.



TO MAINTAIN IP65 RATING INTEGRITY AND PREVENT WATER FROM ENTERING THE FIXTURE, ALL UNUSED CONNECTION RUBBER CAPS MUST BE SEALED.




INSTALLATION

POTENTIAL INTERNAL FIXTURE DAMAGE FROM EXTERNAL SOURCES OF LIGHT BEAMS

External sources of light beams from direct sunlight, lighting moving head fixtures, and lasers, which are focused directly on the exterior housing and/or penetrate the front lens opening of ELATION lighting fixtures, can cause severe internal damage including burning to optics, dichroic color filters, glass and metal gobos, prisms, animation wheels, frost filters, iris, shutters, motors, belts, wiring, discharge lamps, and LEDs.

This issue is not specific only to ELATION lighting fixtures, it is a common issue with lighting fixtures from all manufacturers. Although there is no true way to fully prevent this issue from happening, the guidelines below can prevent any potential damage from occurring if followed. Contact ELATION Service for more details.

DO NOT EXPOSE THE FIXTURE AND/OR FRONT LENS OPENING TO LIGHT BEAMS FROM DIRECT SUNLIGHT, OTHER LIGHTING MOVING HEAD FIXTURES, AND LASERS WHILE UNPACKING, INSTALLATION, USE, AND EXTENDED IDLE TIMES OUTDOORS. DO NOT FOCUS A LIGHT BEAM FROM ONE LIGHTING FIXTURE DIRECTLY TOWARDS ANOTHER.



SYSTEM MENU

The fixture includes an easy to navigate system menu control panel display where all necessary setting adjustments are made. (See image below) During normal operation, pressing MODE/ESC button once will access the fixture's main menu. Once in the main menu you can navigate through the different functions and access the sub-menus with the UP, DOWN, RIGHT, and LEFT buttons. Once you reach a field that requires adjusting, press the ENTER button to activate that field and use the UP and DOWN buttons to adjust the field. Pressing the ENTER button once more will confirm your setting. You may exit the main menu at any time without making any adjustments by pressing the MODE/ESC button.

NOTE: To access the LCD Menu Control Display via the internal battery, press and hold the **MODE/ESC** button for 10 seconds. The LCD Menu Control Display will shut **OFF** automatically about 60 seconds from the last button press.



SYSTEM MENU - Supports Software Versions: ≥ 1.3.1						
Features are subject to change without any prior written notice.						
		e or Counterclockwise) of effects of				
MAIN MENU	SUB MENU	OPTIONS / VALUES (I	Default Settings in BOLD)	DESCRIPTION		
	Set Dmx Address	A001~AXXX		DMX Address Setting		
FUNCTION	Dmx Value	ALL		DMX Value Display		
1011011	Secondary Mode			Secondary Setting		
	Auto Program			Auto Program		
		Current Time	XXXX (Hours)	Fixture Run Time From Power ON		
		Total Run Time	XXXX (Hours)	Fixture Total Run Time		
		Last Run Time	XXXX (Hours)	Fixture Last Run Time		
		Lamp Hours	XXXX (Hours)	Lamp Running Time		
	Time Information	Lamp Off Time	XXXX (Hours)	Lamp Off Time		
		LastRun Password	Password=038	(PSWD Required)		
		Clear Last Run	ON / OFF	Clear Fixture Last Run Time		
INFORMATION		LampTime Password	Password=038	(PSWD Required)		
		Clean Lamp Time	ON / OFF	Clear Lamp Last Run Time		
	Temperature Info	Head Temperature	XXX C° / F°	Temperature in Fixture Head		
	•	Base Temperature	XXX C° / F °	Temperature in Fixture Base		
	Ethernet IP	XXX . XXX . XXX . XXX		Displays Fixture Ethernet Address		
	Fan Info	1U_FAN1 - 6U_FAN2	PODE.	RPM Speeds of Head/Base Fans		
	Encode Info Software Version	PAN ENCODE:, TILT ENC	JUDE:	Coffusion Varaian		
	Error Info	1U01 - 6U01 ≥V1.3.1 Error Record 1 ~ Error Re	acard 10	Software Version Fixture Last 10 Error Codes		
		ON/OFF	ecora 10			
	Lamp ON/OFF			Lamp ON/OFF		
LAMP			Lamp ON/OFF when Power ON			
	Lamp ON via DMX	ON/OFF ON/OFF		Lamp ON via DMX		
CONTROL	Lamp OFF via DMX Max ON at Temp		/AOF /4400E\	Lamp OFF via DMX Lamp Restart at Temp		
	Lamp OFF Temp	20~79°C (45°C) / 68 ~ 174°F (113°F) 80~139°C (130°C) / 176 ~ 282°F (266°F)		Lamp OFF at Temp		
	Lamp Or Fremp	Address via DMX	ON/OFF	Address Via DMX		
		No DMX Status	Close / Hold / Auto	Fixture State When NO DMX Signal		
	Status Settings	Pan Reverse	ON/ OFF	Pan Reverse Movement		
		Tilt Reverse	ON/ OFF	Tilt Reverse Movement		
	Otatus Octimigs	Pan Degree	630/ 540	Pan Degree Select		
		Feedback	ON/OFF	Movement Feedback		
		Hibernation	OFF, 01M~99M, 15M			
		Password	Password= 050	Service Password		
		RDM PID	22A6xxxxxxxx	RDM PID Code (PSWD Required)		
	Service Setting	Ethernet IP	XXX.XXX.XXX	Enter Fixture IP Address		
		Ether Mask IP	XXX.XXX.XXX	Enter Fixture Subnet Mask		
		Clear Err. Info	ON/ OFF	Clear Error Info (PSWD Required)		
		DFLT Pow. LampOn	ON/ OFF	Set Default Lamp Power State to ON		
PERSONALITY	,	Shutoff Time	02~60m 05m	Display Shut Off Time		
	Display Setting	Display Reverse	AUTO/ON/OFF	Display Reverse 180°		
		Key Lock	ON/OFF	Control Panel Lock Out		
	Temperature C/F	, ,		Temperature Switch Between C°/ F°		
	Initial Status			Initial Effect Position		
		DMX ONLY		Control via DMX only		
		DMX & E-FLY		Control via DMX and E-FLY		
		E-FLY & OUT		Control via E-FLY and sends DMX Out		
	Select Signal	Art-Net on IP2		Control via Ethernet 002 IP Address		
		Art-Net on IP10		Control via Ethernet 010 IP Address		
		sACN		Control via sACN Protocol		
	Set Universe			Set ArtNet Universe		
	Set E-FLY Chn	00 - 15		Set E-FLY Wireless Channel		
	Reset Default			Restore Factory Settings (PSWD Required)		

SYSTEM MENU - Supports Software Versions: ≥ 1.3.1

Features are subject to change without any prior written notice.

*Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.							
MAIN MENU	SUB MENU	OPTIONS / VALUES (Default Settings in BOLD)		DESCRIPTION			
Reset Function	Reset All			Reset All Motors			
	Reset Pan&Tilt			Reset Pan/Tilt			
	Reset Colors			Reset Color Wheel			
	Reset Gobos			Reset Gobos			
	Reset Shutter			Reset Shutter			
	Reset Others			Reset Other Motors			
	Test Channel	CONTROL		Test function			
Effect Adjust	Manual Control	CONTROL =XXX,		Fine Adjustments			
	Calibration	Calibration Password	Password= 050	Password 050 (PSWD Required)			
		Basic Mode					
		Standard Mode		DMX Channel Modes			
	Lla au Marala	Extended Mode					
I I a a u NA a al a	User Mode	User Mode A					
User Mode		User Mode B		User Defined Channel Assignment			
Set		User Mode C					
	Edit User Mode A	14 01 1 100					
	Edit User Mode B	Max Channel = XX PAN = CH01		Edits User Defined Channel Assignments			
	Edit User Mode C	FAIN - CITIOT					
		Auto Pro Part1 = Program 1~10 (Program 1)					
	Select Program	Auto Pro Part2 = Prog	ram 1~10 (Program 2)	Select Programs To Be Run			
		Auto Pro Part3 = Program 1~10 (Program 3)					
	Edit Program	Program 1	Program Test	Testing Program			
		:	Step 01=SCxxx	Program In Loop			
Edit		Program 10	Step 64=SCxxx	Save and Exit			
Program			Pan,Tilt,	Save and Automatically Return			
	Edit Scenes	Scene 001 ~ Scene 250	Fade Time Scene Time	Manual Scenes Edit			
			Input By Outside	Stores Scenes via Ext DMX Console			
	Rec. Controller	XX~XX	-	Automatic Scenes Recorder			

SYSTEM MENU CHANGE WITH SOFTWARE UPDATE VERSION 1.4.0

See highlighted menu items below which have been updated with this software update.

SYSTEM MENU - Supports Software Versions: ≥ 1.4.0					
Features are subject to change without any prior written notice.					
*Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.					
MAIN MENU	SUB MENU	OPTIONS / VALUES	Default Settings in BOLD)	DESCRIPTION	
	Set Dmx Address	A001~AXXX		DMX Address Setting	
FUNCTION	Dmx Value	ALL		DMX Value Display	
	Secondary Mode	Secondary1, Secondary2	2, Secondary3	Secondary Setting	
	Auto Program	Primary / Alone		Auto Program	
		Current Time	XXXX (Hours)	Fixture Run Time From Power ON	
		Total Run Time	XXXX (Hours)	Fixture Total Run Time	
		Last Run Time	XXXX (Hours)	Fixture Last Run Time	
		Lamp Hours	XXXX (Hours)	Lamp Running Time	
	Time Information	Lamp Off Time	XXXX (Hours)	Lamp Off Time	
		LastRun Password	Password=038	(PSWD Required)	
		Clear Last Run	ON / OFF	Clear Fixture Last Run Time	
		LampTime Password	Password=038	(PSWD Required)	
		Clean Lamp Time	ON / OFF	Clear Lamp Last Run Time	
INFORMATION		Head Temperature	XXX C° / F °	Temperature in Fixture Head	
	Temperature Info	LAMP Temperature	XXX C° / F °	Temperature of LAMP	
		Base Temperature	XXX C° / F °	Temperature in Fixture Base	
	Humidity Info	Base Humidity	XXX%RH	Humidity In Fixture Base	
	Trumidity into	Head Humidity	XXX%RH	Humidty in Fixture Head	
	Ethernet IP	XXX . XXX . XXX . XXX	XXX . XXX . XXX	Displays Fixture Ethernet Address	
	Fan Info	1U_FAN1 - 6U_FAN2		RPM Speeds of Head/Base Fans	
	Encode Info	ode Info PAN ENCODE:, TILT ENCODE:			
	Software Version 1U01 - 6U01 ≥ V1.4.0		Software Version		
	Error Info Error Record 1 ~ Error Record 10			Fixture Last 10 Error Codes	
	Lamp ON/OFF	ON/OFF		Lamp ON/OFF	
	Automatic On			Lamp ON/OFF when Power ON	
LAMP	Lamp ON via DMX	ON /OFF		Lamp ON via DMX	
CONTROL	Lamp OFF via DMX	ON/OFF		Lamp OFF via DMX	
CONTROL	Max ON at Temp	20~79°C (45°C) / 68 ~ 174°F (113°F)		Lamp Restart at Temp	
	MaxOnatHumidity	20~100%RH, 70%RH		Fixture Restart at Humidity	
	Lamp OFF Temp.	80~139°C (130°C) / 176	~ 282°F (266°F)	Lamp OFF at Temp	

SYSTEM MENU CHANGE WITH SOFTWARE UPDATE VERSION 1.4.0

See highlighted menu items below which have been updated with this software update.

SYSTEM MENU - Supports Software Versions: ≥ 1.4.0							
Features are subject to change without any prior written notice.							
	*Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.						
MAIN MENU	SUB MENU	OPTIONS / VALUE	S (Default Settings in BOLD)	DESCRIPTION			
		Address via DMX	ON /OFF	Address Via DMX			
		No DMX Status	Close / Hold / Auto	Fixture State When NO DMX Signal			
		Pan Reverse	ON/ OFF	Pan Reverse Movement			
	Status Settings	Tilt Reverse	ON/ OFF	Tilt Reverse Movement			
		Pan Degree	630/ 540	Pan Degree Select			
		Feedback	ON /OFF	Movement Feedback			
		Hibernation	OFF, 01M~99M, 15M	Stand By Mode			
		Password	Password= 050	Service Password			
	Service Setting	RDM UID	22A6xxxxxxxx	RDM PID Code (PSWD Required)			
		Clear Err. Info	ON/ OFF	Clear Error Info (PSWD Required)			
		DFLT Pow. LampOn	ON/ OFF	Set Default Lamp Power State to ON			
	Display Setting	Shutoff Time	02~60m 05m	Display Shut Off Time			
PERSONALITY		Display Reverse	AUTO/ON/OFF	Display Reverse 180°			
TEHOONALITT		Key Lock	ON/OFF	Control Panel Lock Out			
	Temperature C/F	Celsius/ Fahrenheit		Temperature Switch Between C°/ F°			
	Initial Status	control =XXX		Initial Effect Position			
		DMX ONLY		Control via DMX only			
		DMX & E-FLY		Control via DMX and E-FLY			
	Select Signal	E-FLY & OUT		Control via E-FLY and sends DMX Out			
		Art-Net		Control via Art-Net Protocol			
		sACN		Control via sACN Protocol			
	Ethernet IP	XXX.XXX.XXX		Set Fixture IP Address			
	Ether Mask IP	XXX.XXX.XXX		Set Fixture Subnet Mask Address			
	Set Universe 000 - 255			Set ArtNet Universe			
	Set E-FLY Chn	00 - 15	1	Set E-FLY Wireless Channel			
	Reset Default	ON/ OFF	Password= 011	Restore Factory Settings (PSWD Required)			

SYSTEM MENU CHANGE WITH SOFTWARE UPDATE VERSION 1.4.1

See highlighted menu items below which have been updated with this software update.

	SYSTEM MENU - Supports Software Versions: ≥ 1.4.1							
	Features are subject to change without any prior written notice.							
*[Counterclockwise) of effects deper						
MAIN MENU	SUB MENU	OPTIONS / VALUES	OPTIONS / VALUES (Default Settings in BOLD) DESCRIPTION A001~AXXX DMX Address Setting					
	Set Dmx Address	A001~AXXX		DMX Address Setting				
FUNCTION	Dmx Value	ALL		DMX Value Display				
	Secondary Mode	Secondary1, Secondary	2, Secondary3	Secondary Setting				
	Auto Program	Primary / Alone		Auto Program				
		Current Time	XXXX (Hours)	Fixture Run Time From Power ON				
		Total Run Time	XXXX (Hours)	Fixture Total Run Time				
		Last Run Time	XXXX (Hours)	Fixture Last Run Time				
		Lamp Hours	XXXX (Hours)	Lamp Running Time				
	Time Information	Lamp Off Time	XXXX (Hours)	Lamp Off Time				
		LastRun Password	Password=038	(PSWD Required)				
		Clear Last Run	ON / OFF	Clear Fixture Last Run Time				
		LampTime Password	Password=038	(PSWD Required)				
		Clean Lamp Time	ON / OFF	Clear Lamp Last Run Time				
INFORMATION		Head Temperature	XXX C° / F °	Temperature in Fixture Head				
INFORMATION	Temperature Info	LAMP Temperature	XXX C° / F °	Temperature of LAMP				
		Base Temperature	XXX C° / F °	Temperature in Fixture Base				
	Humidity Info	Base Humidity	XXX%RH	Humidity In Fixture Base				
	Humidity Info	Head Humidity	XXX%RH	Humidty in Fixture Head				
	Ethernet IP	XXX . XXX . XXX . XXX	XXX . XXX . XXX	Displays Fixture Ethernet Address				
	Fan Info	1U_FAN1 - 6U_FAN2		RPM Speeds of Head/Base Fans				
	Encode Info	PAN ENCODE:, TILT EN	CODE:					
	Software Version	1U01 - 6U01 ≥ V1.4.1		Software Version				
	Error Info	Error Record 1 ~ Error R	ecord 10	Fixture Last 10 Error Codes				
	Lamp Error log	Error Record 1 ~ Error R	ecord 10	Lamp Last 10 Error Codes				
	Lamp ON/OFF	ON/OFF		Lamp ON/OFF				
	Automatic On	ON/OFF		Lamp ON/OFF when Power ON				
LAMP	Lamp ON via DMX	ON/OFF		Lamp ON via DMX				
	Lamp OFF via DMX	ON/OFF		Lamp OFF via DMX				
CONTROL	Max ON at Temp	20~79°C (45°C) / 68 ~ 1	74°F (113°F)	Lamp Restart at Temp				
	MaxOnatHumidity	20~100%RH, 70%RH	•	Fixture Restart at Humidity				
	Lamp OFF Temp.	80~139°C (130°C) / 176	~ 282°F (266°F)	Lamp OFF at Temp				

SYSTEM MENU CHANGE WITH SOFTWARE UPDATE VERSION 1.4.1

See highlighted menu items below which have been updated with this software update.

	SYSTEM MENU - Supports Software Versions: ≥ 1.4.1								
	Features are subject to change without any prior written notice.								
*F			cts depends on orientation of the fi						
MAIN MENU	SUB MENU	OPTIONS / VALUE	S (Default Settings in BOLD)	DESCRIPTION					
		Address via DMX	ON/OFF	Address Via DMX					
		No DMX Status	Close / Hold / Auto	Fixture State When NO DMX Signal					
		Pan Reverse	ON/ OFF	Pan Reverse Movement					
	Status Settings	Tilt Reverse	ON/ OFF	Tilt Reverse Movement					
		Pan Degree	630/ 540	Pan Degree Select					
		Feedback	ON/OFF	Movement Feedback					
		Hibernation	OFF, 01M~99M, 15M	Stand By Mode					
		Password	Password=050	Service Password					
		RDM UID	22A6xxxxxxxx	RDM PID Code (PSWD Required)					
		Clear Err. Info	ON/ OFF	Clear Error Info (PSWD Required)					
	Service Setting	Clear Error code	ON/ OFF	Clear Error Code (PSWD Required)					
	dervice detting	DFLT Pow. LampOn	ON/ OFF	Set Default Lamp Power ON (PSWD Required)					
DEDCOMALITY		DFLT Pow.EflyON	ON/ OFF	Set Default E-FLY Power ON (PSWD Required)					
PERSONALITY		Shutoff Time	02~60m 05m	Display Shut Off Time					
	Display Setting	Display Reverse	AUTO/ON/OFF	Display Reverse 180°					
		Key Lock	ON/OFF	Control Panel Lock Out					
	Temperature C/F	Celsius/Fahrenheit		Temperature Switch Between C°/F°					
	Initial Status	control =XXX		Initial Effect Position					
		E-FLY off		E-FLY Wireless Control OFF					
		DMX & E-FLY		Control via DMX and E-FLY					
	Select Signal	E-FLY & OUT		Control via E-FLY and sends DMX Out					
		Art-Net		Control via Art-Net Protocol					
		sACN		Control via sACN Protocol					
	Ethernet IP	XXX.XXX.XXX		Set Fixture IP Address					
	Ether Mask IP	XXX.XXX.XXX		Set Fixture Subnet Mask Address					
	Set Universe	000 - 255		Set ArtNet Universe					
	Set E-FLY Chn	00 - 15		Set E-FLY Wireless Channel					
	Reset Default	ON/ OFF	Password= 011	Restore Factory Settings (PSWD Required)					

PERSONALITY - Status Settings - Address Via DMX

When ON, define the desired DMX address via an external controller.

NOTE: This process assumes the fixture DMX address is set to 001. If fixture DMX address is not at 001, you must adjust the channel numbers accordingly in order for this feature to work.

For example: if your fixture address is 010, then Channel 1 becomes Channel 10, Channel 2 becomes Channel 11, and Channel 3 becomes Channel 12.

- 1. Connect the fixture to the external controller and power ON.
- Set the DMX value of Channel 1 on the controller to (7).
- 3. Set the DMX value of **Channel 2** on the controller to **(7)** or **(8)**. When set to **(7)**, the DMX address can be set between **(1)** and **(255)**. When set to **(8)**, the DMX address can be set between **(256)** and **(511)**.
- 4. Using **Channel 3** on the controller set the desired DMX address of the fixture.
 - **Example 1:** If the desired DMX address is **57**, set **Channel 1** to a value of **(7)**, set **Channel 2** to a value of **(7)**, and then set **Channel 3** to a value of **(57)**.
 - **Example 2:** If the desired DMX address is **420**, set **Channel 1** to a value of **(7)**, set **Channel 2** to a value of **(8)**, and then set **Channel 3** to a value of **(164)**. (256+164=420)
- 5. After setting **Channel 3** to the desired DMX address value, wait for approximately 20 seconds (some fixtures may require a longer time) for the fixture to complete the address reset function.

PERSONALITY - Reset Default (011)



ONLY QUALIFIED TECHNICIANS SHOULD PERFORM THIS FUNCTION. NOTE: SAVED WHITE BALANCE IS ERASED AFTER A RESET IS PERFORMED.

This function restores all fixture settings to the factory default settings. The password is **011** and must be entered each time a reset is performed.

EFFECT ADJUST - Test Channel

Auto test each individual channel function independently from the DMX control board.

EFFECT ADJUST - Manual Control

Select and manually test and fine adjust each individual channel function Independently from DMX control board. This function will center PAN and TILT motors and set dimmer to 100%. PAN and TILT functions will still operate if the fixture needs to be positioned to a flat clear surface. With the individual functions, you can focus the light on a flat surface (wall) and perform fine adjustments.

EFFECT ADJUST - Calibration



ONLY QUALIFIED TECHNICIANS SHOULD PERFORM THIS FUNCTION.

This function allows small adjustments to be made to the Pan, Tilt, and Zoom movements to compensate for ware or in the event a sensor has been knocked slightly out of place. Because improper use of this function can result in undesired operation this function has been password protected. The password is **050** and must be entered each time the calibration menu function is entered. Because calibration is an extremely delicate procedure, instructions on performing this action are left out of this manual. For a first time calibrator, please contact our customer support team for step-by-step instructions.

E-FLY WIRELESS DMX SET UP



BEFORE SETTING THE WIRELESS CHANNEL ON ANY E-FLY FIXTURE, MAKE SURE THE SOURCE E-FLY WIRELESS DMX TRANSCEIVER DEVICE IS OFF.

TO CONTROL FIXTURE WITH E-FLY WIRELESS DMX SIGNAL

- 1. Ensure the source **E-FLY** wireless DMX Transceiver device is powered **OFF**.
- 2. Power **ON** fixture and from the LCD control panel select **DMX & E-FLY** or **E-FLY & OUT** in the **Select Signal** sub menu of the **PERSONALITY** main system menu.
- 3. From the LCD control panel set the **E-FLY** wireless channel to the same wireless channel of the source **E-FLY** DMX Transceiver device in the **Set E-FLY** Chn sub menu of the **PERSONALITY** main system menu.

NOTE: Erratic fixture movement may occur if other **E-FLY** wireless DMX products are in use in the same area and are using the same **E-FLY** wireless channel. The fixture may immediately start to respond to the DMX wireless signal from another **E-FLY** wireless DMX Transceiver immediately when **E-FLY** is enabled. Make sure to know what **E-FLY** wireless channels are being used in the area where the fixture is being installed.

ELATION E-FLY WIRELESS TRANSCEIVER only has 0-14 wireless channels, NO CH 15.

- 4. Set fixture DMX address in the **Set Dmx Address** sub menu of the **FUNCTION** main system menu.
- 5. The **E-FLY** signal Indicator on the fixture LCD control display will illuminate **GREEN** if a successful wireless DMX connection has been made or illuminate **RED** for NO connection. If no connection is made, repeat steps 1-4 above.
- 6. Repeat this process for all **E-FLY** compatible fixtures in the E-FLY wireless network, making sure all fixtures are assigned the same **E-FLY** wireless channel.
- 7. After all fixtures in the **E-FLY** wireless network have been set to the same **E-FLY** wireless channel and powered ON, now power ON the source **E-FLY** DMX Transceiver device.
- 8. Test all fixtures connected to the **E-FLY** wireless network to confirm proper functionality.

WIRELESS E-FLY INSTALLATION LOCATION GUIDELINES

Wireless DMX signal can penetrate walls, glass, metal, and most objects. However, there are many factors that can affect and/or interrupt the wireless DMX signal, one of which is people. Therefore, it is highly recommended to position the wireless antenna a minimum of 9.8 ft. (3m) above audiences and/or above ground level. Careful planning and testing of the selected installation location is critical to ensure optimum and reliable wireless DMX operation.

9.8 ft (3m) Above Ground



DMX TRAITS: CHANNEL FUNCTIONS AND VALUES

		DI	VIX Channel	Values / Functions (28 DMX Channels)				
				orts Software Versions: ≥ 1.3.1				
		Fea		t to change without any prior written notice.				
	*Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.							
MODE / CHANNEL		\/ALIIE	FUNCTION					
BASIC	STAND	EXTEND	VALUE	FUNCTION				
1	1	1 1		PAN MOVEMENT				
'	' '	'	0-255	PAN Movement				
	2	2		PAN FINE MOVEMENT [16 BIT]				
	_	_	0-255	Fine Control of PAN Movement				
2	3	3		TILT MOVEMENT				
			0-255	TILT Movement				
	4	4		TILT MOVEMENT [16 BIT]				
			0-255	Fine Control of TILT Movement				
3	5	5	0.055	CYAN COLOR				
			0-255	0-WHITE ~ 255-100% CYAN				
		6	0.055	CYAN COLOR FINE [16 BIT]				
			0-255	CYAN FINE Adjustment MAGENTA COLOR				
4	6	7	0-255	0-WHITE ~ 255-100% MAGENTA				
			0-233	MAGENTA COLOR FINE [16 BIT]				
		8	0-255	MAGENTA FINE Adjustment				
	5 7	9	0-233	YELLOW COLOR				
5			0-255	0-WHITE ~ 255-100% YELLOW				
			0 200	YELLOW COLOR FINE [16 BIT]				
		10	0-255	YELLOW FINE Adjustment				
				COLOR WHEEL				
		-	0-10	OPEN / WHITE				
		-	11-19	RED				
		 	20-28	BLUE				
		-	29-37	GREEN				
			38-46	YELLOW				
			47-55	PINK				
		_	56-64	ORANGE				
6	8	11	65-73	AQUA				
O		''	74-82	LIGHT PINK				
		-	83-91	CYAN				
		 	92-100	MAGENTA				
			101-109	CTB				
			110-118	CTO				
			119-127	UV				
			128-189	*Clockwise COLOR Rotation from FAST to SLOW				
			190-193	NO Rotation				
			194-255	*Counterclockwise COLOR Rotation from SLOW to FAST				
		12	0.055	COLOR WHEEL FINE ADJUSTMENT [16 BIT]				
			0-255	FINE Adjustment of Color Wheel to Any Position				

МО	DE / CHANN	NEL .	\/A1 11E	FUNCTION	
BASIC	STAND	EXTEND	VALUE	FUNCTION	
				ROTATING GOBOS, CONTINUOUS ROTATION [GOBO WHEEL 1]	
			0-21	OPEN	
			22-31	Rotating Gobo 1	
			32-41	Rotating Gobo 2	
			42-51	Rotating Gobo 3	
			52-61	Rotating Gobo 4	
			62-71	Rotating Gobo 5	
			72-81	Rotating Gobo 6	
			82-91	Rotating Gobo 7	
7	9	13	92-101	Rotating Gobo 8	
1	9	13	102-112	Gobo 1 Shake SLOW to FAST	
			113-123	Gobo 2 Shake SLOW to FAST	
			124-134	Gobo 3 Shake SLOW to FAST	
			135-145	Gobo 4 Shake SLOW to FAST	
			146-156	Gobo 5 Shake SLOW to FAST	
			157-167	Gobo 6 Shake SLOW to FAST	
			168-178	Gobo 7 Shake SLOW to FAST	
			179-189	Gobo 8 Shake SLOW to FAST	
			190-223	*Clockwise Gobo Wheel Rotation from FAST to SLOW	
			224-255	*Counterclockwise Gobo Wheel Rotation from SLOW to FAST	
				ROTATING GOBOS, INDEX ROTATION [GOBO WHEEL 1]	
			0-127	Gobo Indexing	
8	10	14	128-189	*Clockwise Gobo Rotation from FAST TO SLOW	
			190-193	NO Rotation	
			194-255	*Counterclockwise Gobo Rotation from SLOW to FAST	
		15		ROTATING GOBOS, FINE INDEX ROTATION [GOBO WHEEL 1] [16 BIT]	
		15	0-255	Gobo Rotation FINE Indexing	

МО	MODE / CHANNEL		\/AL ! ! E	FUNCTION	
BASIC	STAND	EXTEND	VALUE	FUNCTION	
				ROTATING PRISM, PRISM / GOBO MACROS	
			0-31	OPEN	
			32-63	5-FACET PRISM	
			64-95	32-FACET PRISM	
			96-127	5-FACET + 32-FACET PRISMS	
			128-135	Prism / Gobo Macro 1	
			136-143	Prism / Gobo Macro 2	
			144-151	Prism / Gobo Macro 3	
			152-159	Prism / Gobo Macro 4	
			160-167	Prism / Gobo Macro 5	
10	12	18	168-175	Prism / Gobo Macro 6	
			176-183	Prism / Gobo Macro 7	
			184-191	Prism / Gobo Macro 8	
			192-199	Prism / Gobo Macro 9	
			200-207	Prism / Gobo Macro 10	
			208-215	Prism / Gobo Macro 11	
			216-223	Prism / Gobo Macro 12	
			224-231	Prism / Gobo Macro 13	
			232-239	Prism / Gobo Macro 14	
			240-247	Prism / Gobo Macro 15	
			248-255	Prism / Gobo Macro 16	
				ROTATING PRISM, PRISM INDEX ROTATION	
			0-127	Prism Indexing	
11	13	19	128-189	*Clockwise Prism Rotation from FAST to SLOW	
			190-193	NO Rotation	
			194-255	*Counterclockwise Prism Rotation from SLOW to FAST	
		20		ROTATING PRISM, PRISM FINE INDEX ROTATION [16 BIT]	
		20	0-255	Gobo Rotation FINE Indexing	
12	14	21		FOCUS	
14	14	۷۱	0-255	Continuous Adjustment from NEAR to FAR	
		22		FOCUS FINE [16 BIT]	
		22	0-255	Continuous FINE Adjustment from NEAR to FAR	

МО	MODE / CHANNEL			clockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.
BASIC	STAND	EXTEND	VALUE	FUNCTION
DAGIO	OTAILE	EXTEND		SHUTTER, STROBE
		-	0-31	Shutter CLOSED
	-	32-63	NO Function (Shutter OPEN)	
		-	64-95	Strobe Effect SLOW to FAST
13	15	23	96-127	NO function (Shutter OPEN)
		-	128-159	Pulse Effect In Sequences
		-	160-191	NO Function (Shutter OPEN)
		-	192-223	Random Strobe Effect SLOW to FAST
		 	224-255	NO Function (Shutter OPEN)
				DIMMER INTENSITY
14	16	24	0-255	Intensity 0 to 100%
				DIMMER INTENSITY FINE [16 BIT]
		25	0-255	Intensity 0 to 100%
				FROST
15	17	26	0-127	Disable FROST
		 	128-255	Enable FROST
		27		PAN / TILT MOVEMENT SPEED
			0-225	MAX to MIN Speed
16	18		226-235	Blackout by Movement
			236-245	Blackout by ALL Wheel Movement
			246-255	NO FUNCTION
				LAMP ON/OFF, RESET, INTERNAL PROGRAMS
			0-19	COLOR Change Normal
			20-39	COLOR Change to Any Position
			40-59	LAMP ON
			60-79	LAMP SWITCH OFF
			80-84	ALL Motors Reset
			85-87	SCAN Motor Reset
			88-90	COLOR Motors Reset
		_ _	91-93	GOBO Motors Reset
17	19	28	94-96	SHUTTER Motor Reset
		_	97-99	OTHER Motors Reset
		_	100-119	Internal Program 1
			120-139	Internal Program 2
			140-159	Internal Program 3
			160-179	Internal Program 4
			180-199	Internal Program 5
			200-219	Internal Program 6
			220-239	Internal Program 7
			240-255	NO FUNCTION

DMX TRAIT CHANGE WITH SOFTWARE UPDATE VERSION 1.4.0

See highlighted DMX Channels below which have been updated with this software update.

DMX Channel Values / Functions (30 DMX Channels)

Supports Software Versions: ≥ 1.4.0

МС	MODE / CHANNEL			ockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.	
BASIC	STAND	EXTEND	VALUE	FUNCTION	
27.10.10	01712			PAN MOVEMENT	
1	1	1	0-255	PAN Movement	
			0 200	PAN FINE MOVEMENT [16 BIT]	
	2	2	0-255	Fine Control of PAN Movement	
		3	0 200	TILT MOVEMENT	
2	3		0-255	TILT Movement	
			0 200	TILT MOVEMENT [16 BIT]	
	4	4	0-255	Fine Control of TILT Movement	
			0 200	CYAN COLOR	
3	5	5	0-255	0-WHITE ~ 255-100% CYAN	
			0 200	CYAN COLOR FINE [16 BIT]	
		6	0-255	CYAN FINE Adjustment	
			0 =00	MAGENTA COLOR	
4	6	7	0-255	0-WHITE ~ 255-100% MAGENTA	
			0 200	MAGENTA COLOR FINE [16 BIT]	
		8	0-255	MAGENTA FINE Adjustment	
				YELLOW COLOR	
5	7	9	0-255	0-WHITE ~ 255-100% YELLOW	
				YELLOW COLOR FINE [16 BIT]	
		10	0-255	YELLOW FINE Adjustment	
				COLOR WHEEL	
		-	0-10	OPEN / WHITE	
		ŀ	11-19	RED	
		Ī	20-28	BLUE	
		Ī	29-37	GREEN	
			38-46	YELLOW	
			47-55	PINK	
		Ī	56-64	ORANGE	
0		44	65-73	AQUA	
6	8	11	74-82	LIGHT PINK	
			83-91	CYAN	
		=	92-100	MAGENTA	
		=	101-109	СТВ	
		=	110-118	СТО	
		=	119-127	UV	
			128-189	*Counterclockwise COLOR Rotation from FAST to SLOW	
		Ī	190-193	NO Rotation	
		Ī	194-255	*Clockwise COLOR Rotation from SLOW to FAST	
		10		COLOR WHEEL FINE ADJUSTMENT [16 BIT]	
		12	0-255	FINE Adjustment of Color Wheel to Any Position	

МС	DE / CHAI		ckwise or Counterc	FUNCTION	
BASIC	STAND	EXTEND	VALUE	FUNCTION	
7	9	13	0-21 22-31 32-41 42-51 52-61 62-71 72-81 82-91 92-101 102-112 113-123 124-134 135-145 146-156 157-167 168-178 179-189 190-223	ROTATING GOBOS, CONTINUOUS ROTATION [GOBO WHEEL 1] OPEN Rotating Gobo 1 Rotating Gobo 2 Rotating Gobo 3 Rotating Gobo 4 Rotating Gobo 5 Rotating Gobo 6 Rotating Gobo 7 Rotating Gobo 8 Gobo 1 Shake SLOW to FAST Gobo 2 Shake SLOW to FAST Gobo 3 Shake SLOW to FAST Gobo 4 Shake SLOW to FAST Gobo 5 Shake SLOW to FAST Gobo 5 Shake SLOW to FAST Gobo 6 Shake SLOW to FAST Gobo 7 Shake SLOW to FAST Gobo 8 Shake SLOW to FAST *Clockwise Gobo Wheel Rotation from FAST to SLOW	
		-	0-127	*Counterclockwise Gobo Wheel Rotation from SLOW to FAST ROTATING GOBOS, INDEX ROTATION [GOBO WHEEL 1] Gobo Indexing	
8	8 10	14	128-189 190-193 194-255	*Clockwise Gobo Rotation from FAST TO SLOW NO Rotation	
		15 -	0-255	*Counterclockwise Gobo Rotation from SLOW to FAST ROTATING GOBOS, FINE INDEX ROTATION [GOBO WHEEL 1] [16 BIT] Gobo Rotation FINE Indexing	

МО	MODE / CHANNEL		\/A!!!E	FUNCTION	
BASIC	STAND	EXTEND	VALUE	FUNCTION	
				STATIC / FIXED GOBOS [GOBO WHEEL 2]	
			0-7	OPEN	
			8-14	Static / Fixed Gobo 1	
			15-21	Static / Fixed Gobo 2	
			22-28	Static / Fixed Gobo 3	
			29-35	Static / Fixed Gobo 4	
			36-42	Static / Fixed Gobo 5	
			43-49	Static / Fixed Gobo 6	
			50-56	Static / Fixed Gobo 7	
			57-63	Static / Fixed Gobo 8	
			64-70	Static / Fixed Gobo 9	
			71-77	Static / Fixed Gobo 10	
			78-84	Static / Fixed Gobo 11	
			85-91	Static / Fixed Gobo 12	
			92-98	Static / Fixed Gobo 13	
9	11	16	99-105	Shake SLOW to FAST Static / Fixed Gobo 1	
			106-112	Shake SLOW to FAST Static / Fixed Gobo 2	
			113-119	Shake SLOW to FAST Static / Fixed Gobo 3	
			120-126	Shake SLOW to FAST Static / Fixed Gobo 4	
			127-133	Shake SLOW to FAST Static / Fixed Gobo 5	
			134-140	Shake SLOW to FAST Static / Fixed Gobo 6	
			141-147	Shake SLOW to FAST Static / Fixed Gobo 7	
			148-154	Shake SLOW to FAST Static / Fixed Gobo 8	
			155-161	Shake SLOW to FAST Static / Fixed Gobo 9	
			162-168	Shake SLOW to FAST Static / Fixed Gobo 10	
			169-175	Shake SLOW to FAST Static / Fixed Gobo 11	
			176-182	Shake SLOW to FAST Static / Fixed Gobo 12	
			183-189	Shake SLOW to FAST Static / Fixed Gobo 13	
			190-221	*Clockwise Gobo Wheel Rotation from FAST to SLOW	
			222-223	NO ROTATION	
			224-255	*Counterclockwise Gobo Wheel Rotation from SLOW to FAST	
		17		STATIC / FIXED GOBOS, FINE INDEX ROTATION [GOBO WHEEL 2] [16 BIT]	
		17	0-255	Gobo Rotation FINE Indexing	

МС	DDE / CHA	NNEL	\/A111E	FUNCTION
BASIC	STAND	EXTEND	VALUE	FUNCTION
				ROTATING PRISM, PRISM / GOBO MACROS
			0-31	OPEN
			32-63	5-FACET PRISM
			64-95	32-FACET PRISM
			96-127	5-FACET + 32-FACET PRISMS
			128-135	Prism / Gobo Macro 1
			136-143	Prism / Gobo Macro 2
			144-151	Prism / Gobo Macro 3
			152-159	Prism / Gobo Macro 4
			160-167	Prism / Gobo Macro 5
10	12	18	168-175	Prism / Gobo Macro 6
			176-183	Prism / Gobo Macro 7
			184-191	Prism / Gobo Macro 8
		-	192-199	Prism / Gobo Macro 9
			200-207	Prism / Gobo Macro 10
			208-215	Prism / Gobo Macro 11
			216-223	Prism / Gobo Macro 12
			224-231	Prism / Gobo Macro 13
			232-239	Prism / Gobo Macro 14
			240-247	Prism / Gobo Macro 15
			248-255	Prism / Gobo Macro 16
				ROTATING PRISM, PRISM INDEX ROTATION
			0-127	Prism Indexing
11	13	19	128-189	*Clockwise Prism Rotation from FAST to SLOW
			190-193	NO Rotation
			194-255	*Counterclockwise Prism Rotation from SLOW to FAST
		20		ROTATING PRISM, PRISM FINE INDEX ROTATION [16 BIT]
		20	0-255	Gobo Rotation FINE Indexing
12	14	21		FOCUS
14	14	۷۱	0-255	Continuous Adjustment from NEAR to FAR
		22		FOCUS FINE [16 BIT]
		22	0-255	Continuous FINE Adjustment from NEAR to FAR

N	IODE / CHAN	INEL	VALUE	FUNCTION
BASIC	STAND	EXTEND	VALUE	
				SHUTTER, STROBE
			0-31	Shutter CLOSED
			32-63	NO Function (Shutter OPEN)
			64-95	Strobe Effect SLOW to FAST
13	15	23	96-127	NO function (Shutter OPEN)
			128-159	Pulse Effect In Sequences
			160-191	NO Function (Shutter OPEN)
			192-223	Random Strobe Effect SLOW to FAST
			224-255	NO Function (Shutter OPEN)
14	16	24		DIMMER INTENSITY
			0-255	Intensity 0 to 100%
		25		DIMMER INTENSITY FINE [16 BIT]
		_	0-255	Intensity 0 to 100%
				FROST
15	17	26	0-127	Disable FROST
			128-255	Enable FROST
16	18	27		CMY COLOR MACROS
			0-255	CMY Color Macro Speed MIN to MAX
				CMY COLOR MACROS
			0-31	OFF
			32-39	COLOR MACRO 01
			40-47	COLOR MACRO 02
			48-55	COLOR MACRO 03
			56-63	COLOR MACRO 04
			64-71	COLOR MACRO 05
			72-79	COLOR MACRO 06
			80-87	COLOR MACRO 07
			88-95	COLOR MACRO 08
			96-103	COLOR MACRO 09
			104-111	COLOR MACRO 10
			112-119	COLOR MACRO 11
			120-127	COLOR MACRO 12
17	19	28	128-135	COLOR MACRO 13
			136-143	COLOR MACRO 14
			144-151	COLOR MACRO 15
			152-159	COLOR MACRO 16
			160-167	COLOR MACRO 17
			168-175	COLOR MACRO 18
			176-183	COLOR MACRO 19
			184-191	COLOR MACRO 20
			192-199	COLOR MACRO 21
			200-207	COLOR MACRO 22
			208-215	COLOR MACRO 23
			216-223	COLOR MACRO 24
			224-231	COLOR MACRO 25
			232-239	COLOR MACRO 26
			240-247	COLOR MACRO 27
			248-255	Random CMY

М	DDE / CHAN	NEL	\/A	FUNCTION				
BASIC	STAND	EXTEND	VALUE	FUNCTION				
				PAN / TILT MOVEMENT SPEED				
			0-225	MAX to MIN Speed				
18	20	29	226-235	Blackout by Movement				
			236-245	Blackout by ALL Wheel Movement				
			246-255	NO FUNCTION				
				LAMP ON/OFF, RESET, INTERNAL PROGRAMS				
			0-19	COLOR Change Normal				
			20-39	COLOR Change to Any Position				
			40-59	LAMP ON				
			60-79	LAMP SWITCH OFF				
			80-84	ALL Motors Reset				
			85-87	SCAN Motor Reset				
		30	88-90	COLOR Motors Reset				
							91-93	GOBO Motors Reset
19	21		94-96	SHUTTER Motor Reset				
			97-99	OTHER Motors Reset				
			100-119	Internal Program 1				
			120-139	Internal Program 2				
			140-159	Internal Program 3				
			160-179	Internal Program 4				
			180-199	Internal Program 5				
			200-219	Internal Program 6				
			220-239	Internal Program 7				
			240-255	NO FUNCTION				

ERROR CODES

When power is applied, the unit will automatically enter a "Reset/Test" mode. This mode brings all the internal motors to a home position. If there is an internal problem with one or more of the motors an error code will flash in the display in the form of "XXer" were as XX will represent a function number. For example, when the display shows "0Er" it means there is some type of error with the Pan motor. If there are multiple errors during the start-up process they will all flash in the display. For example: if the fixtures has errors on Channel 1, 2, and 5 all at the same time, you will see the error message "01Er", "02Er", and "05Er" flash repeated 5 times.

If an error does occur during the initial start-up procedure the fixture will self-generate a second reset signal and try to realign all the motors and correct the errors. If the error persists after a second attempt a third attempt will be made. If after a third attempt all the errors have not been corrected the fixture will make the following determinations:

- 3 or More Errors The fixture cannot function properly with three or more errors therefore the fixture will place itself in a stand-by mode until subsequent repairs can be made.
- Less Than 3 Errors The fixture has less than 3 errors; therefore, most other functions will work
 properly. The fixture will attempt to operate normally until the errors can be correct by a technician.
 The errors in question will remain flashing in the display as a reminder of internal errors.

ERROR CODES					
Error Codes are subject to change without any prior written notice.					
ERROR CODE	DESCRIPTION				
PAN Er	The PAN movement is not located in the default position after the reset. This message will appear after a fixture reset if the magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a motor failure (defective motor or a defective motor IC drive on the main PCB). This error may also be displayed if the head/yoke was blocked during a reset function.				
TILT Er	The TILT movement is not located in the default position after the reset. This message will appear after a fixture reset if the magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a motor failure (defective motor or defective motor IC drive on main PCB). This error may also be displayed if the head was blocked during a reset function.				
Cyan Wheel Er	The Cyan Color Wheel is not located in the default position after the reset. This message will appear after the reset of the fixture reset if the magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).				
Magenta Wheel Er	The Magenta Color Wheel is not located in the default position after the reset. This message will appear after the reset of the fixture reset if the magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).				
Yellow Wheel Er	The Yellow Color Wheel is not located in the default position after the reset. This message will appear after the reset of the fixture reset if the magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).				
Color Wheel Er	The Color Wheel is not located in the default position after the reset. This message will appear after the reset of the fixture reset if the magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).				
Rotating Gobo Wheel Er	The Rotating Gobo Wheel movement is not located in the default position after the reset. This message will appear after a fixture reset if the gobo wheel's magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).				

ERROR CODES				
ERROR CODE	and features are subject to change without any prior written notice. DESCRIPTION			
Rotating Gobo Rotation Er	The Rotating Gobo rotation movement is not located in the default position after the reset. This message will appear after a fixture reset if the gobo wheel's magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).			
Fixed Gobo Wheel Er	The Fixed Gobo Wheel movement is not located in the default position after the reset. This message will appear after a fixture reset if the gobo wheel's magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).			
Prism Er	The Prism Wheel 1movement is not located in the default position after the reset. This message will appear after a fixture reset if the gobo wheel's magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).			
Focus Er	The Focus movement is not located in the default position after the reset. This message will appear after the reset of the fixture reset if the magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).			
Frost Wheel Er	The Frost Wheel is not located in the default position after the reset. This message will appear after the reset of the fixture reset if the magnetic-indexing circuit malfunctions (sensor failed or magnet is missing) or there is a stepper motor failure (defective motor or defective motor IC drive on main PCB).			

ERROR CODES				
Error Codes are subject to change without any prior written notice.				
ERROR CODE	DESCRIPTION			
3U_FanFault1	Error information from JB1 port on 3U01 PCB.			
4U_FanFault2	Error information from JB2 port on 4U01 PCB.			
5U_FanFault1	Error information from JB1 port on 5U01 PCB.			
6U_FanFault2	Error information from JB2 port on 6U01 PCB.			
Accelerometer Err	Accelerometer calibration failure,			
Accelerometer ID Error	Accelerometer fail to read ID information			
REPLACE THE LAMP				
Excess Humidity	Humidity >85%			
Humidity Warning	Humidity=70%			
In the Preheating	Temperature < -15°C			
Preheat Finished	Temperature >-5°€			

MAINTENANCE



CAUTION

Disconnect power before cleaning or maintenance.

CLEANING

Frequent cleaning is recommended to insure proper function, optimized light output, and an extended life. The frequency of cleaning depends on the environment in which the fixture operates: damp, smoky or particularly dirty environments can cause greater accumulation of dirt on the fixture's optics.

Clean the external lens surface at least every 20 days with a soft cloth to avoid dirt/debris accumulation. **NEVER** use alcohol, solvents, or ammonia-based cleaners.

MAINTENANCE

Regular inspections are recommended to insure proper function and extended life.

There are no user serviceable parts inside this fixture, please refer all other service issues to an authorized Elation service technician. Should you need any spare parts, please order genuine parts from your local Elation dealer.

Please refer to the following points during routine inspections:

A detailed electric check by an approved electrical engineer every three months, to make sure the circuit contacts are in good condition and prevent overheating.

Be sure all screws and fasteners are securely tightened at all times. Lose screws may fall out during normal operation resulting in damage or injury as larger parts could fall.

Check for any deformations on the housing, color lenses, rigging hardware and rigging points (ceiling, suspension, trussing). Deformations in the housing could allow for dust to enter into the fixture. Damaged rigging points or unsecured rigging could cause the fixture to fall and seriously injure a person(s).

Electric power supply cables must not show any damage, material fatigue or sediments. Never remove the ground prong from the power cable.

SPECIFICATIONS

SOURCE

Philips™ MSD Platinum 14R 280W 80CRI, 7,800K

1,500 Hour Average LAMP Life*

*May vary depending on several factors including but not limited to:

Environmental Conditions, Power/Voltage, Usage Patterns (On-Off Cycling), Control and Dimming.

PHOTOMETRIC DATA

136,800 LUX 12,709 FC @49.2 ft (15m) 2.5°

EFFECTS

5 and 32 Facet Rotating Prism and Prism Macros

Frost Filter Hybrid Wash Effect

Motorized Focus and Auto Focus

High Speed Mechanical Shutter and Strobe

Pan Angle: 540°/630°

Tilt Angle: 260°

COLOR

13 Dichroic Colors including CTB, CTO, and UV

Full CMY Color Mixing

GOBOS

(8) Interchangeable Rotating / Indexing Metal Gobos

(13) Static-Stamped Metal Gobos

CONTROL / CONNECTIONS

(3) DMX Channel Modes (28 total channels)

6 Button Touch Control Panel

Full Color 180° Reversible LCD Menu Display

8 / 16 Bit Resolution Adjustable Movement

DMX, RDM, Art-NET, and sACN Protocol Support

Elation E-Fly™ Internal Wireless DMX Transceiver

IP65 5pin DMX In/Out

IP65 RJ45 Ethernet In/Out

IP65 Locking Power Cable In

With Wired Digital Communication Network

SIZE / WEIGHT

Length: 17.1" (445mm) Width: 17.87" (454mm)

Vertical Height: 26.77" (680mm)

Weight: 77.0 lbs. (35.0kg)

ELECTRICAL / THERMAL

AC 100-240V - 50/60Hz

500W Max Power Consumption 14°F to 113°F (-10°C to 45°C)


APPROVALS / RATINGS

CE | cETLus | IP65

Specifications and documentation subject to change without notice.

COLORS AND GOBOS






STATIC-FIXED GOBO WHEEL 2



DIMENSIONAL DRAWINGS



OPTIONAL ACCESSORIES

ORDER CODE	ITEM	
TRIGGER CLAMP	Heavy Duty Wrap Around Hook Style Clamp	
ELF001	E-FLY™ Wireless DMX Transceiver	
DRCPROBEAM1	Single Road Case for PROTEUS BEAM	
DRCPROBEAM	Dual Road Case for PROTEUS BEAM	
IP TESTER	IP Fixture Vacuum and Pressure Leak Tester	

FCC STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC RADIO FREQUENCY INTERFERENCE WARNINGS & INSTRUCTIONS

This product has been tested and found to comply with the limits as per Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device uses and can radiate radio frequency energy and, if not installed and used in accordance with the included instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the device off and on, the user is encouraged to try to correct the interference by one or more of the following methods:

- Reorient or relocate the device.
- Increase the separation between the device and the receiver.
- Connect the device to an electrical outlet on a circuit different from which the radio receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Europe Energy Saving Notice

Energy Saving Matters (EuP 2009/125/EC)

Saving electric energy is a key to help protecting the environment. Please turn off all electrical products when they are not in use. To avoid power consumption in idle mode, disconnect all electrical equipment from power when not in use. Thank you