



# THERMA TOUR 800

## SPECIFICATIONS / TECHNICAL DATA

### KEY FEATURES

- 800 watt power consumption
- Over 30 hours of run time
- Haze lasting up to 3 hours after the machine off
- Rugged mobile road case design
- Soundproof insulation for indoor use

### PRODUCT DESCRIPTION

The **THERMA TOUR 800** is a powerful oil-based haze effect generator that produces an exceptionally fine, long-lasting atmospheric haze that excels at revealing light beams and mid-air effects. The 800W **THERMA TOUR 800** creates a safe, clean and odorless haze effect that leaves no residue. The perfect small-particle haze for highlighting light beams, the unit holds two liters of fluid for over 35-hours of run time with no warm up time required. Hang time is incredibly long at over 3 hours in an enclosed space! Compact yet ruggedly built to withstand the day in and day out rigors of on-the-road use, multiple control options include a wireless RF remote, MAGMATIC MAGFLY or Elation E-Fly wireless DMX, wired remote, MAGMATIC App, and manual, on-board, touch screen control.

### PRODUCT SPECIFICATIONS

#### DYNAMIC EFFECTS

Output: 5600 cu.ft / Min  
External Visual Fluid Level Detection

#### COMPATIBLE FLUID

Atmosity ARH (Oil based fluid)  
Atmosity AAH (Water based fluid)

#### CONSTRUCTION / PHYSICAL / PERFORMANCE

External Visual Fluid Level Detection  
Fluid Tank Capacity: 2.5L  
Fluid Consumption: 1.5ml / Min.

#### CONTROL

2 Card Inputs  
RDM (Remote Device Management)  
Control Protocol: DMX  
DMX Control Modes: 2 (1 & 3 Channel)  
On-Board Timer Control  
5 Factory Presets  
4-Pin Wired Remote Input for optional remote  
Touch Screen Display  
Manual Control via on-board display  
MagRemote VIDI



MAGMATIC



# THERMA TOUR 800

## SPECIFICATIONS / TECHNICAL DATA

### CONNECTIONS

Data Connectors: 5-Pin XLR/Out, 4-Pin XLR Out  
Locking Power Connector

### SIZE / WEIGHT

Length: 24.45 in. (621.13mm)  
Width: 15.34 in. (389.63mm)  
Height: 19.87 in. (504.76mm - With Casters)  
Weight: 93 lbs. (42kg)

### ELECTRICAL

Power Consumption: 820w  
Input Voltage: 120V, 230V, 240V, 50 & 60Hz  
Breaker Size: 15A (120V version)  
Breaker Size: 10A (230V version)

### THERMAL

Maximum Temperature (Ambient): 104°F (40°C)  
Exterior Surface Temperature: 122°F (50°C)

### WHATS INCLUDED

Flight Case  
14 AWG Locking Power Cable

### OPTIONAL ACCESSORIES

MAGFLY Card  
MAG-RF Card  
Atmosity ARH (Oil base haze fluid)  
Atmosity AAH (Water based fluid)


### APPROVALS / RATINGS

CE | cETLus | IP20 | UKCA

Specifications and documentation subject to change without notice.



621.13 mm  
(24.45 in.)



389.63 mm  
(15.33 in.)

504.76 mm  
(19.87 in.)