ELATION KL PAR IP COMPACT - DMX TRAITS

1 ch	4 ch	5 ch	6 ch	10 ch	11 ch	19 ch	9 ch	15 ch	DMX VALUES	FUNCTION	SNAP	DEF VAL
1	1		1		1	1	1	1		**Dimmer**		0
									0-255	Intensity 0 → 100		
	2		2		2	2	2	2		**Dimmer Fine**		0
									0-255	Fine Intensity Control		
			3		3	3	3	3		**Shutter/Strobe**		50
									0-31	Shutter Closed		
									32-63	No function (shutter open)		
									64-95	Strobe effect, slow to fast		
									96-127	No function (shutter open)		
									128-159	Pulse effect in sequences		
									160-191	No function (shutter open)		
									192-223	Random strobe effect, slow to fast		
									224-255	No function (shutter open)		
		1		1	4	4				**Red**		
									0-255	0 → 100%		
				2		5				**Red Fine**		
									0-255	Fine adjustment		
		2		3	5	6				**Green**		
									0-255	0 → 100%		
				4		7				**Green Fine**		
									0-255	Fine adjustment		
		3		5	6	8				**Blue**		
									0-255	0 → 100%		
				6		9				**Blue Fine**		
									0-255	Fine adjustment		
		4		7	7	10				**Mint**		
									0-255	0 → 100%		
				8		11				**Mint Fine**		
									0-255	Fine adjustment		
		5		9	8	12				**Amber**		
									0-255	0 → 100%		
				10		13				**Amber Fine**		
									0-255	Fine adjustment		
							4	4		**Cyan**		0
									0-255	0 → 100%		
								5		**Cyan Fine**		0
									0-255	Fine adjustment		
							5	6		**Magenta**		0
									0-255	0 → 100%		
								7		**Magenta Fine**		0
									0-255	Fine adjustment		

ELATION KL PAR IP COMPACT - DMX TRAITS

1 ch	4 ch	5 ch	6 ch	10 ch	11 ch	19 ch	9 ch	15 ch	DMX VALUES	FUNCTION	SNAP	DEF VAL
							6	8		**Yellow**		0
									0-255	0 → 100%		
								9		**Yellow Fine**		0
									0-255	Fine adjustment		
			4		9		7			**CCT Presets**	X	0
									0-23	Open		
									24-85	2400K → 8500K		
									86-255	8500K		
	3					14		10		**Variable CCT**		0
									0-23	Open		
									24-255	2400K → 8500K		
	4					15		11		**Variable CCT Fine**		0
									0-255	Fine adjustment		
						16		12		**Green Shift**		0
									0	Idle		
									1-127	Full Minus Green to Neutral		
									128	Neutral White		
									129-255	Neutral to Full Plus Green		
										Color		0
									0	Open		
									1-179	Virtual Swatch Book		
			5		10	17	8	13		**Color Scroll**		
									180-201	Clockwise, Fast → Slow		
									202-207	Stop		
									208-229	Counter-clockwise, Slow → Fast		
									230-234	Open		
										Random Slots		0
									235-239	Fast		
			5		10	17	8	13	240-244	Medium		
									245-249	Slow		
									250-255	Open		

ELATION KL PAR IP COMPACT - DMX TRAITS

1 ch	4 ch	5 ch	6 ch	10 ch	11 ch	19 ch	9 ch	15 ch	DMX VALUES	FUNCTION	SNAP	DEF VAL
										Dim Modes		
									0	Idle		
									1-20	Standard		
									21-40	Stage		
									41-60	TV		
									61-80	Architectural		
									81-100	Theatre		
									101-120	Stage 2		
										Dimmer Delay Time		
									121	0s		
									122	0.1s		
									123	0.2s		
									124	0.3s		
									125	0.4s		
									126	0.5s		
									127	0.6s		
									128	0.7s		
						18		14	129	0.8s	X	0
									130	0.9s		
									131	1.0s		
									132	1.5s		
									133	2.0s		
									134	3.0s		
									135	4.0s		
									136	5.0s		
									137	6.0s		
									138	7.0s		
									139	8.0s		
									140	9.0s		
									141	10s		
									142-149	Idle		
										Dim to Warm		
									150-154	DTW On		
									155-159	DTW Off		
									160-255	Idle		

ELATION KL PAR IP COMPACT - DMX TRAITS

1 ch	4 ch	5 ch	6 ch	10 ch	11 ch	19 ch	9 ch	15 ch	DMX VALUES	FUNCTION	SNAP	DEF VAL
										Control		
									0-29	Idle		
									30-39	Fan Mode Auto		
									40-49	Fan Mode Silent		
									50-59	Fan Mode High		
									60-99	Idle		
										Refresh Rate (Hz)		
									100	900		
									101	910		
									102	920		
									103	930		
									104	940		
									105	950		
									106	960		
									107	970		
									108	980		
									109	990		
									110	1000		
									111	1010		
			6		11	19	9	15	112	1020	X	0
									113	1030		
									114	1040		
									115	1050		
									116	1060		
									117	1070		
									118	1080		
									119	1090		
									120	1100		
									121	1110		
									122	1120		
									123	1130		
									124	1140		
									125	1150		
									126	1160		
									127	1170		
									128	1180		
									129	1190		
									130	1200		
									131	1210		

ELATION KL PAR IP COMPACT - DMX TRAITS

1 ch	4 ch	5 ch	6 ch	10 ch	11 ch	19 ch	9 ch	15 ch	DMX VALUES	FUNCTION	SNAP	DEF VAL
										Refresh Rate (Hz) (continued)		
									132	1220		
									133	1230		
									134	1240		
									135	1250		
									136	1260		
									137	1270		
									138	1280		
									139	1290		
									140	1300		
									141	1310		
									142	1320		
									143	1330		
									144	1340		
									145	1350		
									146	1360		
									147	1370		
									148	1380		
									149	1390		
			6		11	19	9	15	150	1400	X	0
									151	1410		
									152	1420		
									153	1430		
									154	1440		
									155	1450		
									156	1460		
									157	1470		
									158	1480		
									159	1490		
									160	1500		
									161	2500		
									162	4000		
									163	5000		
									164	6000		
									165	10000		
									166	15000		
									167	20000		
									168	25000		
									169-174	Idle		

ELATION KL PAR IP COMPACT - DMX TRAITS

1 ch	4 ch	5 ch	6 ch	10 ch	11 ch	19 ch	9 ch	15 ch	DMX VALUES	FUNCTION	SNAP	DEF VAL
										Color Tuning		
									175-176	Highest Fidelity		
									177-178	Balanced Output and Fidelity		
									179-180	Highest Output (Default)		
										Output Balance		
									181-182	Bright (Highest Output) (Default)		
			6		11	19	9	15	183-184	Uniform (Elation Full Spectrum Match)	X	0
									185-200	Idle		
										Dimmer Curves		
									201-210	Linear		
									211-220	Square		
									221-230	Inverse Square		
									231-240	S-Curve (Default)		
									241-255	Idle		